



HEAVY DUTY PERFORMANCE FOR EVERYDAY TRANSPORT

Designed for business use, this powerful cargo carrier ensures durability, efficiency, and dependable performance across all working conditions.



SPECIFICATIONS

DISPLACEMENT	200CC	MATERIAL OF CARGO	cargo floor: 1.8mm cargo side: 1.5mm 500-12
TYRE SIZE	500-12	KEEL THICKNESS	40 X 80 keel 2.5mm + 2.0mm
ENGINE BRAND	ZONSEN-high configuration	REVERSE GEAR	Chuanyu 280 Reverse Gear
FUEL TANK	18L	REAR AXLE	Full Suspension Power-Enhanced Rear Axle + 70mm Tube + Damper + 16.5Kg leaf spring X 2
FUEL CONSUMPTION	~4.2L/100km	VEHICLE SIZE	~3550 X 1300 X 1650mm
MAX SPEED	~65km/h	NET WEIGHT	~450kg
CARGO SIZE	~2000 X 1300 X 600mm	LOADING WEIGHT	~1500kg



SPECIFICATIONS

DISPLACEMENT	250CC	MATERIAL OF CARGO	cargo floor: 1.8mm cargo side: 1.5mm
TYRE SIZE	500-12	KEEL THICKNESS	50 X 100 keel 2.5mm
ENGINE BRAND	ZONSEN-high configuration	REVERSE GEAR	Chuanyu 280 Reverse Gear
FUEL TANK	22L	REAR AXLE	Power-Enhanced Hydraulic Brake+ Damper + 20kg leaf spring X 2
FUEL CONSUMPTION	~5L/100km	VEHICLE SIZE	~3750 X 1400 X 1650mm
MAX SPEED	~65km/h	NET WEIGHT	~650kg
CARGO SIZE	~2000 X 1400 X 600mm	LOADING WEIGHT	~2000kg

250CC Model - Single-cylinder: the vehicle size is about 3900*1400*1650mm, Net Weight is about 670kg



SPECIFICATIONS

DISPLACEMENT	300CC	MATERIAL OF CARGO	cargo floor: 1.8mm cargo side: 1.5mm
TYRE SIZE	500-12	KEEL THICKNESS	50 X 100 keel 2.5mm
ENGINE BRAND	ZONSEN-high configuration	REVERSE GEAR	Chuanyu 280 Reverse Gear
FUEL TANK	22L	REAR AXLE	Power-Enhanced Hydraulic Brake+ Damper + 20kg leaf spring X 2
FUEL CONSUMPTION	~5L/100km	VEHICLE SIZE	~3950 X 1400 X 1650mm
MAX SPEED	~65km/h	NET WEIGHT	~680kg
CARGO SIZE	~2400 X 1400 X 600mm	LOADING WEIGHT	~2500kg

300CC Model - Dual-cylinder: the vehicle size is about 4100*1400*1650mm, Net Weight is about 700kg